## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

#### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

INVENTORY - NOMINATION FORM

STATE:	
North	Carolina
COUNTY:	
Craven	

FOR NPS USE ONLY

(Type all entries — complete applicable sections)	ENTRY NUMBER	DATE						
NAME								
COMMON:								
Eli Smallwood House								
AND OR HISTORIC:								
. LOCATION								
STREET AND NUMBER:								
521 East Front Street								
CITY OR TOWN:	TT 7 1 - 7	\						
New Bern (First Congressional District, The Hon.	. Walter B. Jone							
CODE		CODE						
North Carolina 137   Craven		049						
CATEGORY	27.7	ACCESSIBLE						
(Check One)	STATUS	TO THE PUBLIC						
☐ District  ☐ Building ☐ Public Public Acquisition:		Yes:						
Site Structure Private In Process	☐ Unoccupied	Restricted						
Object Both Being Considered	Preservation work	Unrestricted						
	in progress	⊠ No						
PRESENT USE (Check One or More as Appropriate)								
☐ Agricultural ☐ Government ☐ Park ☐ Transportation ☐ Comments								
☐ Commercial ☐ Industrial ☐ Private Residence ☐	Other (Specify)							
☐ Educational ☐ Military ☐ Religious								
Entertainment Museum Scientific								
OWNER OF PROPERTY OWNER'S NAME:								
Mrs. D. L. Ward		MOT. OIL						
STREET AND NUMBER:		£						
Post Office Box 867		C						
CITY OR TOWN: STATE:		CODE						
	h Carolina	37						
LOCATION OF LEGAL DESCRIPTION  COURTHOUSE, REGISTRY OF DEEDS, ETC:		na la						
Craven County Courthouse								
300 Broad Street		aven						
CITY OR TOWN: STATE		CODE						
	n Carolina	37						
REPRESENTATION IN EXISTING SURVEYS								
1111=111								
Historic American Buildings Survey	County	Local						
Historic American Buildings Survey  DATE OF SURVEY: 1936 X Federal State	Historic American Buildings Survey  DATE OF SURVEY: 1936							
DATE OF SURVEY: 1936 🔀 Federal 🗍 State	County [							
DATE OF SURVEY: 1936 X Federal State DEPOSITORY FOR SURVEY RECORDS:  Library of Congress	C COOM							
DATE OF SURVEY: 1936 Todoral State DEPOSITORY FOR SURVEY RECORDS:  Library of Congress STREET AND NUMBER:	Coomy							
DATE OF SURVEY: 1936 X Federal State DEPOSITORY FOR SURVEY RECORDS:  Library of Congress	Coomy	CODE						

Unexposed
neck One)
☑ Original Site

DESCRIBE THE PRESENT AND ORIGINAL (II known) PHYSICAL APPEARANCE

The Eli Smallwood House epitomizes the elegance of the Federal era in New Bern. This brick side-hall plan town house faces East Front Street, and a pleasant garden leads back to the Neuse River. The building is set on a brick cellar and rises two-and-a-half stories above the sidewalk. The most striking feature of the house is the wealth of the hand-carved ornament which occurs in profusion on the main cornice, the porches, and the dormer pediments. This, combined with the perfection of scale both inside and out, make the Smallwood House one of the great showplaces of New Bern.

The exterior of the dwelling is of brick laid in Flemish bond, and because the house has a side-hall plan, the fenestration is varied with three openings occurring on the front (west) facade and on the south side, and four on the rear and on the north side. The gable roof is pierced by two interior end chimneys on the north side and four pedimented dormers, two on each facade. Centered in both gables is a round-headed window, that on the south side being flanked by half-lunettes. The window openings on the first two levels contain six-over-six sash and have stone flat arches above and wooden sills below. Arches of stone and wooden sills are used for the openings at the gables. All openings with the exception of the halflunettes have louvered shutters held back with cyma curve shutter stops. The main cornice on the facades and in the gable ends is carved with a variety of motifs which from top to bottom include cable molding, a wave pattern band, undercut modillions, another cable, and a course of dentils. On the dormers the cornice is simpler and combines modillions and a cable molding.

The Smallwood House has two entrances -- a major one in the southern bay of the front facade and a secondary one in the central bay of the south side, each of which is covered by one-bay wooden porch. The primary entrance is approached by twentieth century sandstone steps which begin with a curtail and are cordoned on either side by an iron balustrade with a brass finial. The small pedimented porch, a standard feature of the New Bern side-hall houses, is found here in its most perfectly executed form. It is composed of coupled colonettes which support an open-arch soffit pediment. A cornice of modillions and dentils separated by a cable molding carries around the pediment and the base of the arched soffit. Pedestals square in section support the colonnettes, and a rounded handrail atop square balusters links the pedestals and encloses the porch. The entrance features a six-panel door surmounted by a transom in which thin wooden members used in imitation of leading create a fanlight pattern. This transom, the most delicate and best preserved of its type in New Bern, features a carved wooden medallion depicting a draped female figure in the hub of the fan and tiny wooden bosses with swags of beads in between the other intersections. A halfguilloche band occurs between the transom and the door. The two bottom panels of the door are flush and the upper four, flat-paneled; the field of each flat panel is outlined with an additional applied strip of molding, the corners of Which are indented. The reveals and soffit are paneled to match the door, and the whole is outlined with a cable molding. The larger and much simpler side porch has a pediment outlined with a cornice identical to that of the front porch and carried on simple colonnettes. This porch

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# HATIONAL REGISTER OF HISTORIC PLACES INVENTORY - MOMINATION FORM

STATE	
North Carolina	
COUNTY	
Craven	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE

(Continuation Sheet)

(Number all entries)

shelters a six-panel door identical to that on the front. The transom above, although rendered in the same manner as that of the front entrance, is heavier. Around the north bay of the front facade are traces of yet another pedimented porch. It is said that the front room was originally used as a counting house office. This possibility is supported by the less elaborate finish of the interior. Later a window replaced the door and access to the hall was provided inside. A twentieth century two-story brick wing is attached to the rear.

The plan of the Smallwood House consists of a side hall with two rooms opening on to it. The elegant scale and delicate details that characterize the exterior of the dwelling are repeated on the interior. Well-executed in every aspect, the wide hall has a transverse arch which forms a visual frame for the stair. Supported on fluted pilasters with a vertical cable molding on each corner and pierced gouge work in the caps, the elliptical arch has a molded archivolt and keystone. Carved cornices composed of dentils punctuated with undercut modillions with a band of cable above appear on either side of the transverse arch. The walls are plastered above a flat-paneled wainscot. The same flat paneling appears on the interior box shutters. Beginning with a curtail, the stair rises in three flights with two square landings between. It features balusters square in section and tapered posts which carry a ramped rounded handrail. The profile of the handrail is repeated on the opposite wall by a continuation of the paneled wainscot. The tapered newel is encircled at the top by the handrail carried on balusters, a motif echoed at the back of the curtail by an ascending plaster swirl. A stylized wavepattern bracket adorns each step.

Although the front parlor is the simpler of the two first floor rooms, both have several features in common: a flat-paneled dado with a molded chair rail and baseboard, a carved wooden cornice, and flat-paneled interior box shutters. In the front parlor, the cornice is identical to that found in the hall. The Federal mantel consists of a square fire opening flanked by reeded pilasters with pierced gouge work in the caps upon which rests a three-part frieze. A sunburst in the center tablet is the only ornamentation on the frieze. Adorned with bands of pierced dentils and cable, the shelf breaks above the end blocks and bows over the center tablet. Above the mantel, the chimney breast is flush-paneled.

The rear parlor, currently used as a dining room, is more elaborately finished. The cornice has a cable band with modillions outlined by cables above a course of dentils. The chair rail is enriched with a guilloche band and the baseboard with a cable. Although the mantel is quite plain, it is surmounted by a rich overmantel with a broken pediment. The mantel itself is composed of engaged colonnettes which support an unadorned three-part frieze. A cable band and a course of dentils occur in the shelf which breaks above the end blocks and bows over the center tablet. The overmantel is more elaborate: dentils and undercut modillions outlined with a cable form the broken pediment which is carried on fluted engaged columns, pierced just

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

TATE	
North Carolina	
OUNTY	
Craven	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE

(Continuation Sheet)

(Number all entries)

below the necking of the plain caps. Flush paneling backs up the overmantel, and in the center the field of a large panel is outlined by strips of applied molding. Centered on the opposite wall, a door with six flat panels is set in matching reveals and soffit. Two arched recesses flank the door. The elliptical arches correspond to the transverse arch in the hall and are carried on pilasters which have pierced gouge work in the caps. An unusual treatment is seen on the pilaster shafts. Five vertical strips of delicate beaded molding have been applied, creating a sort of reeded effect.

The plan of the second floor includes, in addition to the two adjoining rooms, a small room created from the front portion of the hall. This unheated room by virtue of its elaborate finish appears to be an original feature of the house. A bathroom was made by enclosing part of the hall which necessitated moving the middle window on the south side one foot to the west, placing it off center as seen from the exterior.

The walls of both front chambers are finished identically. Bounding the flat-paneled dado are molded and carved chair rails and baseboards whose complexity is equalled in New Bern only by those found in the lodge room of the Masonic Temple. A diamond and oval guilloche band with a cable beneath occurs in the chair rail while a Wall of Troy band with a cable above is found in the baseboard. The elaborate cornice consists, from top to bottom, of a cable molding, a band of scallops, undercut modillions outlined with cable molding, and a course of pierced dentils. Above each window and door, a broken pediment embellished with pierced dentils and undercut modillions outlined with cable molding is carried on paneled pilasters. The pilasters rest on the dado which breaks out to form pedestals. The interior shutters, flat-paneled on both sides, are twentieth century additions. The northwest bedchamber contains a mantel with overmantel that is quite similar to that in the dining room, the only difference being in the cornice, where pierced dentils are substituted for plain ones, and in the center tablet which is adorned in the center by a large sunburst and in the corners by tiny quarter sunbursts.

The rear bedchamber is quite simply finished with plastered walls between a wooden cove cornice and a flat-paneled wainscot. Supported on pilasters with a cable molding placed vertically at the corners, a plain frieze carries a molded shelf which breaks over the end blocks and is adorned with dentils.

On the third floor the plaster walls are finished consistently with molded chair rails, baseboards, and cornices, except in the hall where beaded chair rails and baseboards are used. Beaded coat rails occur in the chambers. The front room contains the only third-floor mantel. Extremely simple, it has an architrave around the fire opening, a flush frieze and a heavily molded unbroken shelf. In the rear room, a curious closet is enclosed between the chimney and partition wall. A three-panel door with a panel above closes it off.

IGHIFICANCE			
PERIOD (Check One or More as A			
	☐ 16th Century	18th Century	20th Century
15th Century	☐ 17th Century	∑ 19th Century	
SPECIFIC DATE(S) (II Applicabl	e and Known)		
AREAS OF SIGNIFICANCE (Che	ck One or More as Appropri	ale)	
Abor iginal	Education	Political	Urban Planning
Prohistoric	Engineering	Religion/Phi-	Other (Specify)
☐ Historic	Industry	losophy	
[X] Agriculture	Invention	Science .	
Architecture	Londscape	Sculpture	
☐ Art	Architecture	Social/Human-	
Commerce	Literature	itarian	· · · · · · · · · · · · · · · · · · ·
Communications	☐ Military	Theater	
Conservation	Music_	Transportation	
notes that the lot is tanyard." According grown prosperous in F. Miller in his Rec in Town." Miller wroms was successful Blackwell, a No from Newbern, a was then well-e Smallwood was p 1810. Colonel John	ts the one "where to local tradity trade with New Ecollections of New Tote that Smallwow in accumulating orthern lady; too and his character stablished.  Tobably a bachel D. Whitford has	eon Colonel Joseph tion Smallwood was England and the West Bern listed him wood  property. His many his place just before for shrewd finance or when he construction that	st Indies, but Stephen as a planter "residing riage with Mrs. re my removal ial management acted this house about
kind of illness occurred in the	until within th seventy eighth for nearly fift	s not confined to ree weeks of his dyear of his age. y years [was	eath, which Where he died,
	tion the Jones h se, was begun ab	ouse next door, wh out 1810. Smallwo	
Kenneth Clark in house describes it a		Series monograph	on the Smallwood
	time considered	e well-to-do merch to be the proper t	

Two possibilities exist for the identity of the designer and builder of the house. Martin Stevenson, Sr., had constructed the Bryan House on Pollock Street at an earlier date, and he was still practicing "the house carpenters and joiners" business in 1831 when he announced his retirement in the January 15 Newbern Spectator. Both houses are brick, and almost identical in plan and layout, and Stevenson was available.

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

## MATIONAL REGISTER OF HISTORIC PLACES

NVENTORY	- NOMINATION	FORM

(Continuation Sheet)

STATE	
North Carolina	
COUNTY	
Craven	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE

(Number all entries)

If one considers the interior finish of the house, however, the evidence seems to point to John Dawey as the designer and builder. Dewey is known to have designed the Masonic Theater, and to have finished the lodge room there. There are striking similarities between his finish of the lodge room and the interiors of the Smallwood house. The wainscot with molded chair rail and baseboard ornamented with diamond and oval guilloche, cable molding, and Wall of Troy moldings appear in both places, in the same relationships. In addition, the treatment of the door and window surrounds with full entablatures is almost identical. This, plus the fact that the records of the Masonic Lodge contain numerous complaints against Dewey for delays in finishing the Masonic Theater, indicating his involvement in other building activity, seems to point to Dewey as the designer and builder. Both the Smallwood House and the Masonic Lodge Room seem to have been finished at the same time, which further supports the point.

Smallwood died just before the Civil War, but the neighborhood was intensively used during the war. The Jones House next door was General John Foster's residence after the occupation of New Bern in early 1862, and General A. E. Burnside's Headquarters were just across the street in the Slover House.

Ownership had passed to Smallwood's son by the end of the war and after his move to New York he transferred the property to his mother in 1869. She sold the property to Charles R. Thomas in 1873.

The Thomas family was socially and politically prominent, and a son, Charles R. Thomas, represented an eastern North Carolina district in the United States Congress until well into the twentieth century. When Congressman Thomas sold the property to Caroline F. H. Jones in 1925 it was described as

The dwelling house and lot formerly owned and occupied as a residence by Judge C. R. Thomas, deceased, and now owned and occupied by the parties of the first part as a residence.

Mrs. Jones, a descendent of Smallwood, began the small amount of restoration which the house needed and completed the work before the mid-1930s when she sold the house and lot to Mr. and Mrs. D. L. Ward, Sr. The late Mr. D. L. Ward served in the North Carolina General Assembly from 1935 to 1949. His widow still owns the house.

Originally the lot, which borders on the Neuse River, had also contained Smallwood's wharf, barns and other outbuildings. These, though they survived until well into the twentieth century, are now gone. The waterfront orientation remains, however, in excellently landscaped gardens, adjacent to the additions to the rear of the house added by the current owner.

The Eli Smallwood House, of superb design enhanced by a wealth of beautifully executed ornament (probably the work of the expert craftsman,

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

#### NATIONAL REGISTER OF HISTORIC PLACES

1	W	211	T	DR	Y .	NO	MI	IAT	TON	FORM
---	---	-----	---	----	-----	----	----	-----	-----	------

(Continuation Sheet)

STATE	
North Carolina	
COUNTY	
Craven	
FOR NPS USE ONLY	,
ENTRY NUMBER	DATE

	(Continuation sheet)			
(Number all entries) 8.				
John Dewey), represtown where that sty	sents the quintessence Te reached a level of	of the Fede development	eral style in New Be unmatched in North	rn, a

La union occupantament acceptances					
9. MAJOR BIBLIOGRAPHICAL REFERENCES					
Craven County Records, Office Courthouse, New Bern, Nor Craven County Records, State I North Carolina (Subgroup Clark, Kenneth. "An Eastern N Jones Residence." The Wh New York: Russell F. Whi Waterman, Thomas T., and Johns North Carolina. Chapel H North Carolina Press, 194	oth Car Department Do Torth ( Dite Protection, I Ston, I Sill, N	rolina (Subgroups: Dement of Archives and Heeds, Wills). Carolina Town House. The Series (Volume XIII), 1927. Frances B. The Early A	eeds, Wills) istory, Rale The Smallwoo I, Number 3) Architecture	igh, d-	
10. GEOGRAPHICAL DATA					
LATITUDE AND LONGITUDE COORDINATE DEFINING A RECTANGLE LOCATING THE PROF	PERTY	DEFINING THE CENTER PORT OF LESS THAN	OINT OF A PROPE		
CORNER LATITUDE LONGITUD		LATITUDE	LONGITUDE		
Degrees Minutes Seconds Degrees Minutes	1	Degrees Minutes Seconds [	Degrees Minutes	Seconds	
NW	"	35 06 43	77 02	14	
NE	"			·	
	,,				
APPROXIMATE ACREAGE OF NOMINATED PROPER	" )	2/1, 2070			
		3/4 acre	10.10.40		
LIST ALL STATES AND COUNTIES FOR PROPERTIS		<del>,</del>	NDARIES		
STATE:	CODE	COUNTY	•	CODE	
STATE:	CODE	COUNTY:		CODE	
STATE:	CODE	COUNTY:		CODE	
STATE:	CODE	COUNTY:		CODE	
11. FORM PREPARED BY					
NAME AND TITLE:	Taring participation of the				
Common and Dianning Unit Chaff					
Survey and Planning Unit Staff			DATE		
	3 77.	1	·	70	
State Department of Archives ar	1d Hls	tory	24 May 19	12	
STREET AND NUMBER:					
109 East Jones Street		,			
CITY OR TOWN:		STATE		CODE	
Raleigh		North Carolina		37	
12. STATE LIAISON OFFICER CERTIFICATION		NATIONAL REGISTER	VERIFICATION		
			kanada harku usun dan masamusun dengan usun dungi sai dada dan adalah kapatah dining dalah dipikah pelabugai d		
As the designated State Liaison Officer for the tional Historic Preservation Act of 1966 (Public 89-665), I hereby nominate this property for inclin the National Register and certify that it has evaluated according to the criteria and procedure.	c Law lusion been	I hereby certify that this prope National Register.	erty is included ir	n the	
forth by the National Park Service. The recomm					
	nended	Chief, Office of Archeology ar	nd Historic Prese	rvation	
level of significance of this nomination is:	_				
National State X Local	$\cup$ $ $	,			
da o	and the second	Pata			
I CI Na		Date			
Name H. G. Jones		ATTEST:		}	
II. G. Jolley					
Title Director, State Department	, oi				
Archives and History		Keeper of The National Register			
Date 24 May 1972		Date			

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - MOMINATION FORM

STATE	
North Carolina	
COUNTY	
Craven	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE

(Continuation Sheet)

Number all entries)	
9.	

Miller, Stephen F. "Recollections of New Bern 50 Years Ago." Our Living and Our Dead. New Bern, 1873.

"Town Taxables for the Years 1816, 1817, 1818, 1819." Original lists, Vaults, City Hall, New Bern.



